

PORSCHE

Обзор допущенных моторных масел (спецификация Porsche A40) для всех серийных автомобилей Porsche начиная с 1984 модельного года за исключением Cayenne (V6), Cayenne S Hybrid, Cayenne Diesel, Cayenne S Diesel, Panamera S Hybrid, Panamera Diesel.

Производитель	Марка моторного масла	SAE
Addinol Lube Oil GmbH	Super Light MV 0546	5W-40
Addinol Lube Oil GmbH	HIGH STAR, SAE 5W-40	5W-40
Addinol Lube Oil GmbH	PRAKTIKER SAE 5W-40	5W-40
AGIP	Agip Synthetic PC SAE 5W-40	5W-40
AGIP	Agip TECSINT SL, SAE 5W-40	5W-40
AGIP	Agip SINT EVOLUTION, SAE 5W-40	5W-40
ARAL AG	High Tronic	5W-40
ARAL AG	High Tronic M	5W-40
ARAL AG	SuperSynth	0W-40
AVIA Mineralöl AG	Avia Synth 5W-40	5W-40
AVISTA OIL AG	AVleco SAE 5W-40	5W-40
Blu Canada Limited	Technician Series LS-FS	5W-40
BP plc	BP Visco 7000 Sport	5W-40
BP plc	BP Visco 5000 Turbo Diesel	5W-40
BP plc	BP Visco 5000 5W-40	5W-40
BP plc	BP Super V Plus 5W-40	5W-40
CASTROL Limited	Castrol Syntec 5W-40	5W-40
CASTROL Limited	Castrol Edge Professional A3 5W-40	5W-40
CASTROL Limited	Castrol Edge Professional A3 0W-40	0W-40
CASTROL Limited	Castrol Edge 5W-40	5W-40
CASTROL Limited	Castrol Edge 5W-40 A3/B4	5W-40
CASTROL Limited	Castrol Edge SPT 5W-40	5W-40
CASTROL Limited	Castrol Edge 5W-40 SN	5W-40
CASTROL Limited	Castrol Edge 0W-40	0W-40
CASTROL Limited	Castrol Edge 0W-40 A3/B4	0W-40
CASTROL Limited	Castrol Magnatec Professional C3 5W-40	5W-40
CASTROL Limited	Castrol SLX Professional Longtec 0W-40	0W-40
CASTROL Limited	Castrol SLX Professional 5W-40	5W-40
CASTROL Limited	Castrol Edge Professional OE 5W-40	5W-40
CEPSA LUBRICANTES S. A.	CEPSA STAR SYNTHETIC	5W-40
CHEVRON	Chevron Havoline Synthetic Motor Oil SAE 5W-40	5W-40
CHEVRON	Texaco Havoline Synthetic Motor Oil SAE 5W-40	5W-40
Chevron Technology Ghent	Caltex Havoline Fully Synthetic SAE 5W-40	5W-40
Chevron Technology Ghent	Havoline Ultra 5W-40	5W-40
DELFIN GROUP USA, LLC	Spectrol Euro Synthetic	5W-40
DEUTSCHE PENTOSIN-WERKE	PENTOSYNTH HC	5W-40
DEUTSCHE PENTOSIN-WERKE	Pento High Performance II 5W-40	5W-40

PORSCHE

DOLLBERGEN	PENNASOL SUPER PACE SAE 5W-40	5W-40
Elf	Elf Evolution 5W-40	5W-40
Elf	Elf Excellium Full-Tech 5W-40	5W-40
Elf	Elf Evolution Turbo 5W-40	5W-40
Elf	Elf Solaris LSX 5W-40	5W-40
Elf	Elf Excellium NF 5W-40	5W-40
Engen Petroleum Ltd.	Engen Xtreme 5W-40	5W-40
eni S.p.A. – Италия	eni i-Sint 5W-40	5W-40
eni S.p.A. – Италия	Synthetic PC 5W-40	5W-40
ENOC International Sales L.L.C.	ENOC PROTEC X-TREME 5W-40, SAE 5W-40	5W-40
ENOC International Sales L.L.C.	ENOC PROTEC GREEN 5W-40	5W-40
EXXONMOBIL Corporation	Esso Ultron 5W-40	5W-40
EXXONMOBIL Corporation	Esso Ultron Turbo Diesel 5W-40	5W-40
EXXONMOBIL Corporation	Mobil Synt S 5W-40	5W-40
EXXONMOBIL Corporation	Mobil Syst S 5W-40	5W-40
EXXONMOBIL Corporation	Mobil 1 0W-40	0W-40
EXXONMOBIL Corporation	Mobil 1 5W-40	5W-40
EXXONMOBIL Corporation	Mobil 1 5W-50	5W-50
EXXONMOBIL Corporation	Mobil 1 ESP 0W-40	0W-40
EXXONMOBIL Corporation	Mobil 1 New Life 0W-40	0W-40
EXXONMOBIL Corporation	Mobil Super 3000 X1 5W-40	5W-40
EXXONMOBIL Corporation	Mobil Super 3000 X1 Diesel 5W-40	5W-40
EXXONMOBIL Corporation	Mobil Super 3000 X2 5W-40	5W-40
EXXONMOBIL Corporation	Mobil Super 3000 XE1 5W-40	5W-40
EXXONMOBIL Corporation	Mobil Formula X2 5W-40	5W-40
EXXONMOBIL Corporation	Mobil Super 3000 Formula V 5W-40	5W-40
EXXONMOBIL Corporation	Mobil 1 FF 100 0W-40	0W-40
Fina	Fina First 400 5W-40	5W-40
FUCHS	TITAN Supersyn 5W-40	5W-40
FUCHS	TITAN GT1 5W-40	5W-40
FUCHS	TITAN Supersyn LONGLIFE 5W-40	5W-40
GRUPA LOTOS SA	Lotos Syntetic SL/SJ/CD/CF SAE 5W-40	5W-40
GRUPA LOTOS SA	Lotos Quazar 5W-40	5W-40
GULF OIL International	Gulf Formula ULE	5W-40
GULF OIL International	Gulf Formula G	5W-40
GULF OIL International	Gulf Formula S	5W-40
High Industrial Lubricants & Liquids Corporation	Fastroil Premium Plus API SM/CF	5W-40
IGOL	IGOL PROFIVE DIAMANT 5W-40	5W-40
Interparts Autoteile	Trost masteroil v-tec Power 5W-40	5W-40
Interparts Autoteile	Trost masteroil c-tec Power 5W-40	5W-40
Interparts Autoteile	Trost masteroil v-tec Premium 0W-40	0W-40

PORSCHE

JIANGSU LONGPAN PETROCHEMICAL CO., LTD	LOPAL 9900	5W-40
Kuwait Petroleum Research & Technology B.V.	Q8 Formula M Long Life, SAE 5W-40	5W-40
Kuwait Petroleum Research & Technology B.V.	Q8 Formula Excel, SAE 5W-40	5W-40
IQUI MOLY	Liqui Moly Leichtlauf HC 7	5W-40
LIQUI MOLY	Liqui Moly Leichtlauf High Tech SAE 5W-40	5W-40
LIQUI MOLY	Top Tec 4100 SAE 5W-40	5W-40
LIQUI MOLY	Top Tec 4200	5W-40
LIQUI MOLY	Nachfüll-Öl SAE 5W-40	5W-40
LIQUI MOLY	Pro-Engine M 400 SAE 5W-40	5W-40
LIQUI MOLY	Top Tec 4200	5W-40
LLK Finland Oy	Teboil Gold s	5W-40
LLK International (LUKOIL Lubricants Company)	LUKOIL LUXE SYNTHETIC, SAE 5W-40	5W-40
LLK International (LUKOIL Lubricants Company)	LUKOIL GENESIS Premium 5W-40	5W-40
LLK International (LUKOIL Lubricants Company)	LUKOIL GENESIS 5W-40	5W-40
MEGUIN GmbH & Co. KG	megol Motorenoel High Condition, SAE 5W-40	5W-40
MEGUIN GmbH & Co. KG	megol Motorenoel Low Emission	5W-40
MEGUIN GmbH & Co. KG	megol Motorenoel Ultra Performance Longlife, SAE 5W-40	5W-40
MEGUIN GmbH & Co. KG	CENTRO Motoröl	5W-40
Mitan Mineralöl GmbH	Mitan Alpine RSL 5W-40	5W-40
Mitan Mineralöl GmbH	K-Classic Motorenöl 5W40	5W-40
MOL-LUB Ltd.	MOL Dynamic Prima 5W-40	5W-40
MOTOREX Bucher	MOTOREX SELECT SP-X	5W-40
MOTUL	8100 X-cess 5W-40	5W-40
MOTUL	8100 X-clean 5W-40	5W-40
MOTUL	Synergie 5W-40	5W-40
MOTUL	FEU VERT 100% Synthèse 5W-40	5W-40
ООО Новокуйбышевский завод масел и присадок	Rosneft Premium	5W-40
Oando Marketing PLC	Oleum Syn	5W-40
Oel-Brack AG	Midland Synqron (SAE 5-40)	5W-40
Ölwerke Julius Schindler GmbH	OJS Meister-Öl Leichtlauf-Motorenöl 5W-40	5W-40
Ölwerke Julius Schindler GmbH	OJS Econo-Veritas XL-HC 5W-40	5W-40
Orlen Deutschland AG	Orlen star synt S SAE 5W-40	5W-40
Pennzoil-Quaker State	Pennzoil Platinum Synthetic European Formula	5W-40
Pennzoil-Quaker State	Q European Engine Full Synthetic	5W-40

PORSCHE

Pennzoil-Quaker State	Pennzoil Ultra Euro	5W-40
Pennzoil-Quaker State	QS Ultimate Durability European	5W-40
Pennzoil-Quaker State	QS Ultimate Durability European Full Synthetic Motor Oil	5W-40
Pennzoil-Quaker State	Quaker State Synquest 5W-40	5W-40
Pennzoil-Quaker State	Pennzoil Ultra Euro 5W-40 Full Synthetic Motor Oil	5W-40
Pennzoil-Quaker State	QS Ultimate Durability European Full	5W-40
Pennzoil-Quaker State	Quaker State Deluxe Synthetic 5W-40	5W-40
Pennzoil-Quaker State	Quaker State Ultimate Durability European Engine	5W-40
Pennzoil-Quaker State	Pennzoil Ultra Euro Full Synthetic Motor Oil 5W-40	5W-40
PENRITE OIL COMPANY PTY LIMITED	Enviro Plus 5W-40	5W-40
Petrogal S.A. galp energia	Galp Energy Ultra LS	5W-40
Petrogal S.A. galp energia	Galp Energy Plus	5W-40
Petrogal S.A. galp energia	Galp Formula XLD	5W-40
Petron Corporation	Ultron Race	5W-40
PETRONAS LUBRICANTS INTERNATIONAL	SYNTIUM 3000 AV	5W-40
PETRONAS LUBRICANTS INTERNATIONAL	SYNTIUM 3000	5W-40
Pinnacle Oil, Inc.	National Synthetic 5W-40	5W-40
PROFI-TECH GmbH	PROFI-CAR SYNTH-TECH XT	5W-40
RALOY LUBRICANTES, S.A. DE C.V.	Krönen Multigrado Sintético	5W-40
REPSOL YPF	Repsol Elite Competicion	5W-40
REPSOL YPF	Repsol Elite Evolution 5W-40	5W-40
ROWE Mineralölwerk GmbH	ROWE SYNT RS SAE 5W-40 HC-D	5W-40
Sasol Oil (Pty) Ltd.	Engine Oil Synthetic M 5W-40	5W-40
Shell International Petroleum Company	Shell Helix Ultra	5W-40
Shell International Petroleum Company	Shell Helix Ultra AT-L	5W-40
Shell International Petroleum Company	Shell Helix Ultra HX6	5W-40
Shell International Petroleum Company	Shell Helix HX6	5W-40
Shell International Petroleum Company	Shell Helix HX7	5W-40
Shell International Petroleum Company	Shell Helix HX7 C	5W-40
Shell International Petroleum Company	Shell Helix HX8	5W-40
Shell International Petroleum Company	Shell Helix HX8 C	0W-40
Shell International Petroleum Company	Shell Helix Ultra C	0W-40
Shell International Petroleum Company	Shell Helix Ultra	0W-40
Shell Tongyi (Beijing) Petroleum Chemical Co., Ltd	SYNENG	5W-40
SK lubricants	ZIC XQ 5W-40	5W-40
SRS Schmierstoff Vertrieb GmbH	SRS ViVA 1 topsynth SAE 5W-40	5W-40
TAMOIL Italia S.p.A.	Sint Future Racing SAE 5W-40	5W-40

PORSCHE

TNK Lubricants, LLC	TNK Magnum Ultratec	5W-40
TNK Lubricants, LLC	TNK Magnum Professional C3	5W-40
TOP 1 OIL Products Company	Evolution OEM Series-01	5W-40
TOP 1 OIL Products Company	Evolution OEM Series-04	5W-40
TOTAL	Total Quartz 9000 Energy 5W-40	5W-40
TOTAL	Total Quartz 9000 5W-40	5W-40
TOTAL	Total Quartz INEO MC3 5W-40	5W-40
TOTAL	Total Activa 9000 SAE 5W-40	5W-40
Transnational Blenders B.V.	Engine Oil LE 5W-40	5W-40
UNIL OPAL	Opaljet 24 S (5W-40)	5W-40
UNIL-OPAL	UNIL OPAL OPALJET FUTURA	5W-40
UNITED OIL COMPANY PTE LTD.	United 1 Fully Synthetic Engine Oil 5W-40	5W-40
Valvoline Europe	Valvoline SynPower MST SAE 5W-40	5W-40
Valvoline Europe	Valvoline SynPower HST SAE 5W-40	5W-40
Valvoline Europe	Valvoline SynPower SAE 5W-40	5W-40
Valvoline Europe	Valvoline SynPower MST C3	5W-40
WAKO'S Chemical Company Limited	WAKO'S 4CT-S 5W-40	5W-40
WESTFALEN	Gigatron 0W-40	0W-40
Würth GmbH & Co. KG	Triathlon Performance	5W-40
YACCO	VX 1703 FAP 5W-40	5W-40
YACCO	VX 1000 5W-40	5W-40
YACCO	VX 1000 LL 5W-40	5W-40
YACCO	VX 1000 FAP 5W-40	5W-40
YPF S.A.	Elaion F50	5W-40

Смешиваемость масел

Допущенные Porsche моторные масла смешиваются друг с другом. Это означает, что при смене масла в случае использования масла другой марки и другого типа промывка двигателя не требуется. Однако поскольку масло любой марки имеет свой особый состав, при доливках между сменами масла по возможности следует применять масло той же марки и того же типа.

PORSCHE

Обзор допущенных моторных масел (спецификация Porsche C30) для автомобилей Porsche Cayenne (V6), Cayenne S Hybrid, Cayenne Diesel, Cayenne S Diesel, Panamera S Hybrid, Panamera Diesel.

Производитель	Марка моторного масла	SAE
Addinol Lube Oil GmbH	MEGA STAR, SAE 5W-30	5W-30
Addinol Lube Oil GmbH	GIGA LIGHT MV 0530 LL, SAE 5W-30	5W-30
Addinol Lube Oil GmbH	MEGA LIGHT MV 0539 LE, SAE 5W-30	5W-30
Addinol Lube Oil GmbH	PRAKTIKER SAE 5W-30	5W-30
ARAL AG	SuperTronic Longlife III 5W-30	5W-30
CASTROL Limited	Castrol SLX Professional Powerflow Longlife III 5W-30	5W-30
CASTROL Limited	Castrol SLX Professional Longlife III 5W-30	5W-30
CASTROL Limited	Castrol Edge 5W-30	5W-30
CASTROL Limited	Castrol Edge Professional Longlife III 5W-30	5W-30
CASTROL Limited	Castrol Edge Professional DD03 5W-30	5W-30
Chevron Technology Ghent	Texaco Havoline Ultra V 5W-30	5W-30
Chevron Technology Ghent	Caltex Havoline Ultra V SAE 5W-30	5W-30
DE OLIEBRON B.V.	Tor Extendo NF 5W30	5W-30
Elf	Elf Solaris LLX 5W-30	5W-30
Elf	Elf Excellium TDI 5W-30	5W-30
EXXONMOBIL Corporation	Mobil 1 ESP Formula 5W-30	5W-30
EXXONMOBIL Corporation	Mobil SHC Formula V 5W-30	5W-30
EXXONMOBIL Corporation	Mobil Super 3000 Formula V 5W-30	5W-30
FUCHS PETROLUB AG	TITAN G1 PRO C-3 5W-30	5W-30
GULF Oil International	Gulf Progress Intensia 5W-30	5W-30
MEGUIN GmbH & Co. KG	megol Motorenoel Compatible	5W-30
MOTUL	8100 X-clean + 5W-30	5W-30
MOTUL	MOTUL EXPERT LL 5W-30	5W-30
Pennzoil-Quaker State	Pennzoil Platinum VX	5W-30
Pennzoil-Quaker State	Quaker State Q Diesel Plus	5W-30
Pennzoil-Quaker State	Pennzoil Ultra Euro L	5W-30
Pennzoil-Quaker State	QS Ultimate Durability European L	5W-30
PENRITE OIL COMPANY PTY LTD	Enviro Plus 5W-30	5W-30
Petrogal S. A. galp energia	Galp Formula Longlife III	5W-30
PETRONAS BASE OIL (M) SDN. BHD.	PETRONAS Synthium 5000 AV	5W-30
Shell International Petroleum Company	Shell Helix Ultra VX	5W-30
Shell International Petroleum Company	Shell Helix Ultra AV-L	5W-30
Shell International Petroleum Company	Shell Helix Ultra Extra	5W-30
Shell International Petroleum Company	Shell Helix Diesel Ultra Extra	5W-30
Shell International Petroleum Company	Shell Helix Ultra Extra X	5W-30
SRS Schmierstoff Vertrieb GmbH	SRS ViVA 1 SLV plus	5W-30
TOTAL	Elf Solaris LLX 5W-30	5W-30

PORSCHE

TOTAL	TOTAL Quartz Ineo Long Life 5W-30	5W-30
TOTAL	FINA First 500 504/507 5W-30	5W-30
TOTAL	YACCO LUBE DE SAE 5W-30	5W-30
TOTAL	Elf Excellium TDI 5W-30	5W-30
TOTAL	TOTAL Activa Ineo Long Life 5W-30	5W-30
UNIL OPAL	Opaljet Energy 3, SAE 5W-30	5W-30

Смешиваемость масел

Допущенные Porsche моторные масла смешиваются друг с другом. Это означает, что при смене масла в случае использования масла другой марки и другого типа промывка двигателя не требуется. Однако поскольку масло любой марки имеет свой особый состав, при доливках между сменами масла по возможности следует применять масло той же марки и того же типа.